

## NAME

pdftk - A handy tool for manipulating PDF

## SYNOPSIS

```
pdftk <input PDF files | - | PROMPT>
    [input_pw <input PDF owner passwords | PROMPT>]
    [<operation> <operation arguments>]
    [output <output filename | - | PROMPT>]
    [encrypt_40bit | encrypt_128bit]
    [allow <permissions>]
    [owner_pw <owner password | PROMPT>]
    [user_pw <user password | PROMPT>]
    [flatten] [compress | uncompress]
    [verbose] [dont_ask | do_ask]
```

Where:

```
<operation> may be empty, or:
[cat | attach_files | unpack_files | burst |
 fill_form | background |
 dump_data | dump_data_fields | update_info]
```

For Complete Help: pdftk --help

## DESCRIPTION

If PDF is electronic paper, then pdftk is an electronic staple-remover, hole-punch, binder, secret-decoder-ring, and X-Ray-glasses. Pdftk is a simple tool for doing everyday things with PDF documents. Use it to:

- \* Merge PDF Documents
- \* Split PDF Pages into a New Document
- \* Decrypt Input as Necessary (Password Required)
- \* Encrypt Output as Desired
- \* Fill PDF Forms with FDF Data and/or Flatten Forms
- \* Apply a Background Watermark
- \* Report PDF Metrics such as Metadata and Bookmarks
- \* Update PDF Metadata
- \* Attach Files to PDF Pages or the PDF Document
- \* Unpack PDF Attachments
- \* Burst a PDF Document into Single Pages
- \* Uncompress and Re-Compress Page Streams
- \* Repair Corrupted PDF (Where Possible)

## OPTIONS

A summary of options is included below.

```
--help, -h
    Show summary of options.
```

```
<input PDF files | - | PROMPT>
    A list of the input PDF files. If you plan to combine these PDFs (without using handles) then list files in the order you want them combined. Use - to pass a single PDF into pdftk via stdin. Input
```

files can be associated with handles, where a handle is a single, upper-case letter:

```
<input PDF handle>=<input PDF filename>
```

Handles are often omitted. They are useful when specifying PDF passwords or page ranges, later.

For example: A=input1.pdf B=input2.pdf

```
[input_pw <input PDF owner passwords | PROMPT>]
```

Input PDF owner passwords, if necessary, are associated with files by using their handles:

```
<input PDF handle>=<input PDF file owner password>
```

If handles are not given, then passwords are associated with input files by order.

Most pdftk features require that encrypted input PDF are accompanied by the ~owner~ password. If the input PDF has no owner password, then the user password must be given, instead. If the input PDF has no passwords, then no password should be given.

When running in do\_ask mode, pdftk will prompt you for a password if the supplied password is incorrect or none was given.

```
[<operation> <operation arguments>]
```

If this optional argument is omitted, then pdftk runs in 'filter' mode. Filter mode takes only one PDF input and creates a new PDF after applying all of the output options, like encryption and compression.

Available operations are: cat, attach\_files, unpack\_files, burst, fill\_form, background, dump\_data, dump\_data\_fields, update\_info. Some operations takes additional arguments, described below.

```
cat [<page ranges>]
```

Catenates pages from input PDFs to create a new PDF. Page order in the new PDF is specified by the order of the given page ranges. Page ranges are described like this:

```
<input PDF handle>[<begin page number>[-<end page number>[<qualifier>]]]
```

Where the handle identifies one of the input PDF files, and the beginning and ending page numbers are one-based references to pages in the PDF file, and the qualifier can be even or odd.

If the handle is omitted from the page range,

then the pages are taken from the first input PDF.

If no arguments are passed to `cat`, then `pdftk` combines all input PDFs in the order they were given to create the output.

NOTES:

- \* `<end page number>` may be less than `<begin page number>`.
- \* The keyword `end` may be used to reference the final page of a document instead of a page number.
- \* Reference a single page by omitting the ending page number.
- \* The handle may be used alone to represent the entire PDF document, e.g., `B1-end` is the same as `B`.

Page range examples:

```
A1-21
Bend-1odd
A72
A1-21 Beven A72
```

`attach_files <attachment filenames | PROMPT>`  
`[to_page <page number | PROMPT>]`

Packs arbitrary files into a PDF using PDF's file attachment features. More than one attachment may be listed after `attach_files`. Attachments are added at the document level unless the optional `to_page` option is given, in which case the files are attached to the given page number (the first page is 1, the final page is `end`). For example:

```
pdftk in.pdf attach_files table1.html
table2.html to_page 6 output out.pdf
```

`unpack_files`

Copies all of the attachments from the input PDF into the current folder or to an output directory given after output. For example:

```
pdftk report.pdf unpack_files output ~/atts/
```

or, interactively:

```
pdftk report.pdf unpack_files output PROMPT
```

`burst` Splits a single, input PDF document into individual pages. Also creates a report named `doc_data.txt` which is the same as the output from `dump_data`. If the output section is omitted, then PDF pages are named: `pg_%04d.pdf`, e.g.: `pg_0001.pdf`, `pg_0002.pdf`, etc. To name these pages yourself, supply a `printf`-styled

format string via the output section. For example, if you want pages named: page\_01.pdf, page\_02.pdf, etc., pass output page\_%02d.pdf to pdftk. Encryption can be applied to the output by appending output options such as owner\_pw, e.g.:

```
pdftk in.pdf burst owner_pw foopass
```

`fill_form <FDF data filename | - | PROMPT>`

Fills the single input PDF's form fields with the data from an FDF file or stdin. Enter the FDF data filename after fill\_form, or use - to pass the data via stdin, like so:

```
pdftk form.pdf fill_form data.fdf output  
form.filled.pdf
```

After filling a form, the form fields remain interactive unless you also use the flatten output option. flatten merges the form fields with the PDF pages. You can use flatten alone, too, but only on a single PDF:

```
pdftk form.pdf fill_form data.fdf output out.pdf  
flatten
```

or:

```
pdftk form.filled.pdf output out.pdf flatten
```

If the input FDF file includes Rich Text formatted data in addition to plain text, then the Rich Text data is packed into the form fields as well as the plain text. Pdftk also sets a flag that cues Acrobat/Reader to generate new field appearances based on the Rich Text data. That way, when the user opens the PDF, the viewer will create the Rich Text fields on the spot. If the user's PDF viewer does not support Rich Text, then the user will see the plain text data instead. If you flatten this form before Acrobat has a chance to create (and save) new field appearances, then the plain text field data is what you'll see.

`background <background PDF filename | - | PROMPT>`

Applies a PDF watermark to the background of a single input PDF. Pass the background PDF's filename after background like so:

```
pdftk in.pdf background back.pdf output out.pdf
```

Pdftk uses only the first page from the background PDF and applies it to every page of the input PDF. This page is scaled and rotated as needed to fit the input page. You can use - to

pass a background PDF into pdftk via stdin. For backward compatibility with pdftk 1.0, background can be used as an output option. However, this old technique works only when no operation is given.

#### dump\_data

Reads a single, input PDF file and reports various statistics, metadata, bookmarks (a/k/a outlines), and page labels to the given output filename or (if no output is given) to stdout. Does not create a new PDF.

#### dump\_data\_fields

Reads a single, input PDF file and reports form field statistics to the given output filename or (if no output is given) to stdout. Does not create a new PDF.

#### update\_info <info data filename | - | PROMPT>

Changes the metadata stored in a single PDF's Info dictionary to match the input data file. The input data file uses the same syntax as the output from dump\_data. This does not change the metadata stored in the PDF's XMP stream, if it has one. For example:

```
pdftk in.pdf update_info in.info output out.pdf
```

#### [output <output filename | - | PROMPT>]

The output PDF filename may not be set to the name of an input filename. Use - to output to stdout. When using the dump\_data operation, use output to set the name of the output data file. When using the unpack\_files operation, use output to set the name of an output directory. When using the burst operation, you can use output to control the resulting PDF page filenames (described above).

#### [encrypt\_40bit | encrypt\_128bit]

If an output PDF user or owner password is given, output PDF encryption strength defaults to 128 bits. This can be overridden by specifying encrypt\_40bit.

#### [allow <permissions>]

Permissions are applied to the output PDF only if an encryption strength is specified or an owner or user password is given. If permissions are not specified, they default to 'none,' which means all of the following features are disabled.

The permissions section may include one or more of the following features:

#### Printing

- Top Quality Printing

DegradedPrinting  
    Lower Quality Printing

ModifyContents  
    Also allows Assembly

Assembly

CopyContents  
    Also allows ScreenReaders

ScreenReaders

ModifyAnnotations  
    Also allows FillIn

FillIn

AllFeatures  
    Allows the user to perform all of the above,  
    and top quality printing.

[owner\_pw <owner password | PROMPT>]

[user\_pw <user password | PROMPT>]

If an encryption strength is given but no passwords are supplied, then the owner and user passwords remain empty, which means that the resulting PDF may be opened and its security parameters altered by anybody.

[compress | uncompress]

These are only useful when you want to edit PDF code in a text editor like vim or emacs. Remove PDF page stream compression by applying the uncompress filter. Use the compress filter to restore compression.

[flatten]

Use this option to merge an input PDF's interactive form fields (and their data) with the PDF's pages. Only one input PDF may be given. Sometimes used with the fill\_form operation.

[verbose]

By default, pdftk runs quietly. Append verbose to the end and it will speak up.

[dont\_ask | do\_ask]

Depending on the compile-time settings (see ASK\_ABOUT\_WARNINGS), pdftk might prompt you for further input when it encounters a problem, such as a bad password. Override this default behavior by adding dont\_ask (so pdftk won't ask you what to do) or do\_ask (so pdftk will ask you what to do).

When running in dont\_ask mode, pdftk will over-

write files with its output without notice.

#### EXAMPLES

Decrypt a PDF

```
pdftk secured.pdf input_pw foopass output unsecured.pdf
```

Encrypt a PDF using 128-bit strength (the default), with-  
hold all permissions (the default)

```
pdftk 1.pdf output 1.128.pdf owner_pw foopass
```

Same as above, except password 'baz' must also be used to  
open output PDF

```
pdftk 1.pdf output 1.128.pdf owner_pw foo user_pw baz
```

Same as above, except printing is allowed (once the PDF is  
open)

```
pdftk 1.pdf output 1.128.pdf owner_pw foo user_pw baz  
allow printing
```

Join in1.pdf and in2.pdf into a new PDF, out1.pdf

```
pdftk in1.pdf in2.pdf cat output out1.pdf
```

or (using handles):

```
pdftk A=in1.pdf B=in2.pdf cat A B output out1.pdf
```

or (using wildcards):

```
pdftk *.pdf cat output combined.pdf
```

Remove 'page 13' from in1.pdf to create out1.pdf

```
pdftk in.pdf cat 1-12 14-end output out1.pdf
```

or:

```
pdftk A=in1.pdf cat A1-12 A14-end output out1.pdf
```

Apply 40-bit encryption to output, revoking all permis-  
sions (the default). Set the owner PW to 'foopass'.

```
pdftk 1.pdf 2.pdf cat output 3.pdf encrypt_40bit  
owner_pw foopass
```

Join two files, one of which requires the password  
'foopass'. The output is not encrypted.

```
pdftk A=secured.pdf 2.pdf input_pw A=foopass cat output  
3.pdf
```

Uncompress PDF page streams for editing the PDF in a text  
editor (e.g., vim, emacs)

```
pdftk doc.pdf output doc.unc.pdf uncompress
```

Repair a PDF's corrupted XREF table and stream lengths, if  
possible

```
pdftk broken.pdf output fixed.pdf
```

Burst a single PDF document into pages and dump its data  
to doc\_data.txt

```
pdftk mydoc.pdf burst
```

Burst a single PDF document into encrypted pages. Allow  
low-quality printing

```
pdftk mydoc.pdf burst owner_pw foopass allow Degraded-  
Printing
```

Write a report on PDF document metadata and bookmarks to  
report.txt

```
pdftk mydoc.pdf dump_data output report.txt
```

#### NOTES

pdftk uses a slightly modified iText Java library (<http://itextpdf.sourceforge.net/>) to read and write PDF. The author compiled this Java library using GCJ (<http://gcc.gnu.org>) so it could be linked with a front end written in C++.

The pdftk home page is <http://www.accesspdf.com/pdftk/>.

#### AUTHOR

Sid Steward ([ssteward@accesspdf.com](mailto:sseward@accesspdf.com)) maintains pdftk.

October 26, 2004

PDFTK(1)

Pdftk commands to merge an FDF file with a AcroForm template:

```
Pdftk <form.pdf> fill_form <data.fdf> output<form.filled.pdf>
```

<b>United States Bankruptcy Court</b> <b>District of _____</b>	<b>Voluntary Petition</b>
---	---------------------------

Name of Debtor (if individual, enter Last, First, Middle):	Name of Joint Debtor (Spouse) (Last, First, Middle):
All Other Names used by the Debtor in the last 8 years (include married, maiden, and trade names):	All Other Names used by the Joint Debtor in the last 8 years (include married, maiden, and trade names):
Last four digits of Soc. Sec./Complete EIN or other Tax I.D. No. (if more than one, state all):	Last four digits of Soc. Sec./Complete EIN or other Tax I.D. No. (if more than one, state all):
Street Address of Debtor (No. & Street, City, and State):	Street Address of Joint Debtor (No. & Street, City, and State):
ZIPCODE	ZIPCODE
County of Residence or of the Principal Place of Business:	County of Residence or of the Principal Place of Business:
Mailing Address of Debtor (if different from street address):	Mailing Address of Joint Debtor (if different from street address):
ZIPCODE	ZIPCODE
Location of Principal Assets of Business Debtor (if different from street address above):	
ZIPCODE	

<b>Type of Debtor</b> (Form of Organization) (Check <b>one</b> box.)  <input type="checkbox"/> Individual (includes Joint Debtors) <input type="checkbox"/> Corporation (includes LLC and LLP) <input type="checkbox"/> Partnership <input type="checkbox"/> Other (If debtor is not one of the above entities, check this box and provide the information requested below.)  State type of entity: _____ _____	<b>Nature of Business</b> (Check <b>all</b> applicable boxes.)  <input type="checkbox"/> Health Care Business <input type="checkbox"/> Single Asset Real Estate as defined in 11 U.S.C. § 101 (51B) <input type="checkbox"/> Railroad <input type="checkbox"/> Stockbroker <input type="checkbox"/> Commodity Broker <input type="checkbox"/> Clearing Bank <input type="checkbox"/> Nonprofit Organization qualified under 15 U.S.C. § 501(c)(3)	<b>Chapter of Bankruptcy Code Under Which the Petition is Filed</b> (Check one box)  <input type="checkbox"/> Chapter 7 <input type="checkbox"/> Chapter 11 <input type="checkbox"/> Chapter 15 Petition for Recognition of a Foreign Main Proceeding <input type="checkbox"/> Chapter 9 <input type="checkbox"/> Chapter 12 <input type="checkbox"/> Chapter 15 Petition for Recognition of a Foreign Nonmain Proceeding <input type="checkbox"/> Chapter 13
		<b>Nature of Debts</b> (Check one box)  <input type="checkbox"/> Consumer/Non-Business <input type="checkbox"/> Business
<b>Filing Fee</b> (Check one box)  <input type="checkbox"/> Full Filing Fee attached <input type="checkbox"/> Filing Fee to be paid in installments (Applicable to individuals only) Must attach signed application for the court's consideration certifying that the debtor is unable to pay fee except in installments. Rule 1006(b). See Official Form 3A. <input type="checkbox"/> Filing Fee waiver requested (Applicable to chapter 7 individuals only). Must attach signed application for the court's consideration. See Official Form 3B.		<b>Chapter 11 Debtors</b>  <b>Check one box:</b> <input type="checkbox"/> Debtor is a small business debtor as defined in 11 U.S.C. § 101(51D). <input type="checkbox"/> Debtor is not a small business debtor as defined in 11 U.S.C. § 101(51D). <hr style="border-top: 1px dashed black;"/> <b>Check if:</b> <input type="checkbox"/> Debtor's aggregate noncontingent liquidated debts owed to non-insiders or affiliates are less than \$2 million.

<b>Statistical/Administrative Information</b>  <input type="checkbox"/> Debtor estimates that funds will be available for distribution to unsecured creditors. <input type="checkbox"/> Debtor estimates that, after any exempt property is excluded and administrative expenses paid, there will be no funds available for distribution to unsecured creditors.	THIS SPACE IS FOR COURT USE ONLY																				
<b>Estimated Number of Creditors</b> <table style="width:100%; text-align: center;"> <tr> <td>1-49</td> <td>50-99</td> <td>100-199</td> <td>200-999</td> <td>1,000-5,000</td> <td>5,001-10,000</td> <td>10,001-25,000</td> <td>25,001-50,000</td> <td>50,001-100,000</td> <td>OVER 100,000</td> </tr> <tr> <td><input type="checkbox"/></td> </tr> </table>	1-49	50-99	100-199	200-999	1,000-5,000	5,001-10,000	10,001-25,000	25,001-50,000	50,001-100,000	OVER 100,000	<input type="checkbox"/>										
1-49	50-99	100-199	200-999	1,000-5,000	5,001-10,000	10,001-25,000	25,001-50,000	50,001-100,000	OVER 100,000												
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>												
<b>Estimated Assets</b> <table style="width:100%; text-align: center;"> <tr> <td>\$0 to \$50,000</td> <td>\$50,001 to \$100,000</td> <td>\$100,001 to \$500,000</td> <td>\$500,001 to \$1 million</td> <td>\$1,000,001 to \$10 million</td> <td>\$10,000,001 to \$50 million</td> <td>\$50,000,001 to \$100 million</td> <td>More than \$100 million</td> </tr> <tr> <td><input type="checkbox"/></td> </tr> </table>	\$0 to \$50,000	\$50,001 to \$100,000	\$100,001 to \$500,000	\$500,001 to \$1 million	\$1,000,001 to \$10 million	\$10,000,001 to \$50 million	\$50,000,001 to \$100 million	More than \$100 million	<input type="checkbox"/>												
\$0 to \$50,000	\$50,001 to \$100,000	\$100,001 to \$500,000	\$500,001 to \$1 million	\$1,000,001 to \$10 million	\$10,000,001 to \$50 million	\$50,000,001 to \$100 million	More than \$100 million														
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
<b>Estimated Debts</b> <table style="width:100%; text-align: center;"> <tr> <td>\$0 to \$50,000</td> <td>\$50,001 to \$100,000</td> <td>\$100,001 to \$500,000</td> <td>\$500,001 to \$1 million</td> <td>\$1,000,001 to \$10 million</td> <td>\$10,000,001 to \$50 million</td> <td>\$50,000,001 to \$100 million</td> <td>More than \$100 million</td> </tr> <tr> <td><input type="checkbox"/></td> </tr> </table>	\$0 to \$50,000	\$50,001 to \$100,000	\$100,001 to \$500,000	\$500,001 to \$1 million	\$1,000,001 to \$10 million	\$10,000,001 to \$50 million	\$50,000,001 to \$100 million	More than \$100 million	<input type="checkbox"/>												
\$0 to \$50,000	\$50,001 to \$100,000	\$100,001 to \$500,000	\$500,001 to \$1 million	\$1,000,001 to \$10 million	\$10,000,001 to \$50 million	\$50,000,001 to \$100 million	More than \$100 million														
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														

<b>Voluntary Petition</b> <i>(This page must be completed and filed in every case)</i>	Name of Debtor(s):	
<b>Prior Bankruptcy Case Filed Within Last 8 Years</b> (If more than one, attach additional sheet)		
Location Where Filed:	Case Number:	Date Filed:
<b>Pending Bankruptcy Case Filed by any Spouse, Partner or Affiliate of this Debtor</b> (If more than one, attach additional sheet)		
Name of Debtor:	Case Number:	Date Filed:
District:	Relationship:	Judge:
<p style="text-align:center;"><b>Exhibit A</b></p> <p>(To be completed if debtor is required to file periodic reports (e.g., forms 10K and 10Q) with the Securities and Exchange Commission pursuant to Section 13 or 15(d) of the Securities Exchange Act of 1934 and is requesting relief under chapter 11.)</p> <p><input type="checkbox"/> Exhibit A is attached and made a part of this petition.</p>	<p style="text-align:center;"><b>Exhibit B</b></p> <p style="text-align:center;"><small>(To be completed if debtor is an individual whose debts are primarily consumer debts.)</small></p> <p>I, the attorney for the petitioner named in the foregoing petition, declare that I have informed the petitioner that [he or she] may proceed under chapter 7, 11, 12, or 13 of title 11, United States Code, and have explained the relief available under each such chapter. I further certify that I delivered to the debtor the notice required by § 342(b) of the Bankruptcy Code.</p> <p style="text-align:center;">X _____ Signature of Attorney for Debtor(s)                      Date</p>	
<p style="text-align:center;"><b>Exhibit C</b></p> <p>Does the debtor own or have possession of any property that poses or is alleged to pose a threat of imminent and identifiable harm to public health or safety?</p> <p><input type="checkbox"/> Yes, and Exhibit C is attached and made a part of this petition.</p> <p><input type="checkbox"/> No</p>	<p style="text-align:center;"><b>Certification Concerning Debt Counseling by Individual/Joint Debtor(s)</b></p> <p><input type="checkbox"/> I/we have received approved budget and credit counseling during the 180-day period preceding the filing of this petition.</p> <p><input type="checkbox"/> I/we request a waiver of the requirement to obtain budget and credit counseling prior to filing based on exigent circumstances. (Must attach certification describing.)</p>	
<p><b>Information Regarding the Debtor (Check the Applicable Boxes)</b></p> <p style="text-align:center;"><b>Venue</b> (Check any applicable box)</p> <p><input type="checkbox"/> Debtor has been domiciled or has had a residence, principal place of business, or principal assets in this District for 180 days immediately preceding the date of this petition or for a longer part of such 180 days than in any other District.</p> <p><input type="checkbox"/> There is a bankruptcy case concerning debtor's affiliate, general partner, or partnership pending in this District.</p> <p><input type="checkbox"/> Debtor is a debtor in a foreign proceeding and has its principal place of business or principal assets in the United States in this District, or has no principal place of business or assets in the United States but is a defendant in an action or proceeding [in a federal or state court] in this District, or the interests of the parties will be served in regard to the relief sought in this District.</p>		
<p><b>Statement by a Debtor Who Resides as a Tenant of Residential Property</b></p> <p style="text-align:center;"><i>Check all applicable boxes.</i></p> <p><input type="checkbox"/> Landlord has a judgment against the debtor for possession of debtor's residence. (If box checked, complete the following.)</p> <p style="text-align:center;">_____</p> <p style="text-align:center;">(Name of landlord that obtained judgment)</p> <p style="text-align:center;">_____</p> <p style="text-align:center;">(Address of landlord)</p> <p><input type="checkbox"/> Debtor claims that under applicable nonbankruptcy law, there are circumstances under which the debtor would be permitted to cure the entire monetary default that gave rise to the judgment for possession, after the judgment for possession was entered, and</p> <p><input type="checkbox"/> Debtor has included in this petition the deposit with the court of any rent that would become due during the 30-day period after the filing of the petition.</p>		

**Voluntary Petition**

*(This page must be completed and filed in every case)*

Name of Debtor(s):

**Signatures**

**Signature(s) of Debtor(s) (Individual/Joint)**

I declare under penalty of perjury that the information provided in this petition is true and correct.

[If petitioner is an individual whose debts are primarily consumer debts and has chosen to file under chapter 7] I am aware that I may proceed under chapter 7, 11, 12 or 13 of title 11, United States Code, understand the relief available under each such chapter, and choose to proceed under chapter 7.

[If no attorney represents me and no bankruptcy petition preparer signs the petition] I have obtained and read the notice required by § 342(b) of the Bankruptcy Code.

I request relief in accordance with the chapter of title 11, United States Code, specified in this petition.

X \_\_\_\_\_  
Signature of Debtor

X \_\_\_\_\_  
Signature of Joint Debtor

\_\_\_\_\_  
Telephone Number (If not represented by attorney)

\_\_\_\_\_  
Date

**Signature of a Foreign Representative of a Recognized Foreign Proceedings**

I declare under penalty of perjury that the information provided in this petition is true and correct, that I am the foreign representative of a debtor in a foreign main proceeding, and that I am authorized to file this petition. A certified copy of the order granting recognition is attached.

X \_\_\_\_\_  
(Signature of Foreign Representative)

\_\_\_\_\_  
(Printed Name of Foreign Representative)

\_\_\_\_\_  
(Date)

**Signature of Attorney**

X \_\_\_\_\_  
Signature of Attorney for Debtor(s)

\_\_\_\_\_  
Printed Name of Attorney for Debtor(s)

\_\_\_\_\_  
Firm Name

\_\_\_\_\_  
Address

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Date

**Signature of Non-Attorney Bankruptcy Petition Preparer**

I declare under penalty of perjury that: (1) I am a bankruptcy petition preparer as defined in 11 U.S.C. § 110; (2) I prepared this document for compensation and have provided the debtor with a copy of this document and the notices and information required under 11 U.S.C. §§ 110(b), 110(h), and 342(b); and, (3) if rules or guidelines have been promulgated pursuant to 11 U.S.C. § 110(h) setting a maximum fee for services chargeable by bankruptcy petition preparers, I have given the debtor notice of the maximum amount before preparing any document for filing for a debtor or accepting any fee from the debtor, as required in that section. Official Form 19B is attached.

\_\_\_\_\_  
Printed Name and title, if any, of Bankruptcy Petition Preparer

\_\_\_\_\_  
Social Security number (If the bankruptcy petition preparer is not an individual, state the Social Security number of the officer, principal, responsible person or partner of the bankruptcy petition preparer.) (Required by 11 U.S.C. § 110.)

\_\_\_\_\_  
Address

X \_\_\_\_\_

Signature of Bankruptcy Petition Preparer or officer, principal, responsible person, or partner whose social security number is provided above.

Names and Social Security numbers of all other individuals who prepared or assisted in preparing this document unless the bankruptcy petition preparer is not an individual:

If more than one person prepared this document, attach additional sheets conforming to the appropriate official form for each person.

*A bankruptcy petition preparer's failure to comply with the provisions of title 11 and the Federal Rules of Bankruptcy Procedure may result in fines or imprisonment or both 11 U.S.C. §110; 18 U.S.C. §156.*

**Signature of Debtor (Corporation/Partnership)**

I declare under penalty of perjury that the information provided in this petition is true and correct, and that I have been authorized to file this petition on behalf of the debtor.

The debtor requests relief in accordance with the chapter of title 11, United States Code, specified in this petition.

X \_\_\_\_\_  
Signature of Authorized Individual

\_\_\_\_\_  
Printed Name of Authorized Individual

\_\_\_\_\_  
Title of Authorized Individual

\_\_\_\_\_  
Date